

Supplementary Table 1. Impact, Importance, and Weighted Impact Scores of Condition-specific Domains of Patients with Diabetes (N=300)

Condition-specific domains	Impact scores		Importance scores		Weighted impact score		Test*
	Mean ± SD	Median (IQR)	Mean ± SD	Median (IQR)	Mean ± SD	Median (IQR)	
Leisure activities	-1.53 ± 0.67	-2(-2)–(-1)	1.55 ± 0.68	2(1)–(2)	-2.73 ± 2.06	-2(-4)–(-1)	0.000**
Work / Employment	-1.76 ± 0.78	-2(-2)–(-1)	1.88 ± 0.77	2(1)–(2)	-3.78 ± 2.64	-4(-4)–(-2)	0.000**
Local or long-distance journeys	-1.38 ± 0.77	-1(-2)–(-1)	1.36 ± 0.74	1(1)–(2)	-2.36 ± 1.90	-2(-4)–(-1)	0.000**
Holidays	-1.39 ± 0.77	-1(-2)–(-1)	1.35 ± 0.71	1(1)–(2)	-2.34 ± 1.85	-2(-4)–(-1)	0.000**
Physical health	-1.87 ± 0.70	-2(-2)–(-1)	1.94 ± 0.68	2(2)–(2)	-4 ± 2.56	-4(-4)–(-2)	0.000**
Family life	-2.12 ± 0.66	-2(-3)–(-2)	2.33 ± 0.50	2(2)–(3)	-5.18 ± 2.52	-4(-9)–(-4)	0.000**
Friendship and social life	-1.46 ± 0.60	-1(-2)–(-1)	1.54 ± 0.59	2(1)–(2)	-2.53 ± 1.84	-2(-4)–(-1)	0.000**
Close personal relationship	-1.65 ± 0.71	-2(-2)–(-1)	1.82 ± 0.64	2(1)–(2)	-3.37 ± 2.29	-4(-4)–(-1)	0.000**
Sex life	-1.41 ± 0.80	-2(-2)–(-1)	1.55 ± 0.75	2(1)–(2)	-2.71 ± 2.08	-4(-4)–(-1)	0.000**
Physical appearance	-1.72 ± 0.60	-2(-2)–(-1)	1.82 ± 0.56	2(1)–(2)	-3.37 ± 1.89	-4(-4)–(-2)	0.000**
Self-confidence	-1.81 ± 0.63	-2(-2)–(-1)	1.99 ± 0.52	2(2)–(2)	-3.84 ± 2.15	-4(-4)–(-2)	0.000**
Motivation	-1.64 ± 0.67	-2(-2)–(-1)	1.69 ± 0.65	2(1)–(2)	-3.16 ± 2.03	-4(-4)–(-1)	0.000**
People's reactions	-1.27 ± 0.50	-1(-2)–(-1)	1.34 ± 0.56	1(1)–(2)	-1.94 ± 1.62	-1(-4)–(-1)	0.000**
Feelings about the future	-1.75 ± 0.73	-2(-2)–(-1)	1.87 ± 0.71	2(1)–(2)	-3.72 ± 2.51	-4(-4)–(-1)	0.000**
Financial situation	-1.95 ± 0.67	-2(-2)–(-2)	2.18 ± 0.56	2(2)–(3)	-4.52 ± 2.43	-4(-6)–(-4)	0.000**
Living conditions	-1.63 ± 0.64	-2(-2)–(-1)	1.77 ± 0.61	2(1)–(2)	-3.19 ± 2.09	-4(-4)–(-1)	0.000**
Dependence on others	-1.83 ± 0.80	-2(-2)–(-1)	1.66 ± 0.81	2(1)–(2)	-3.48 ± 2.85	-3(-4)–(-1)	0.000**
Freedom to eat	-1.77 ± 0.68	-2(-2)–(-1)	1.87 ± 0.64	2(1)–(2)	-3.69 ± 2.49	-4(-4)–(-1)	0.000**
Freedom to drink	-1.72 (0.69)	-2(-2)–(-1)	1.73 (0.66)	2(1)–(2)	-3.40 (2.51)	-4(-4)–(-1)	0.000**

*Chi-square test; **Significance at p < 0.05 (2 tailed test); IQR — interquartile range;
SD — standard deviation