

DOI 10.5603/**GP.a2021.0027**

SUPPLEMENT 2.

Supplement 2. Baseline characteristics of survivors who met inclusion criteria and were invited to participate in the study			
Variables	Study population		
	Males (n = 195)	Females (n = 151)	All (n = 346)
Current age (years)			
Median	26	26	26
(min-max)	(18–39)	(18–39)	(18–39)
Age (years) at cancer diagnosis			
Median	11	12	12
(min-max)	(1–17)	(1–18)	(1–18)
Cancer type*			
Leukemias, myeloproliferative disorders, myelodysplasia n, (%)	92 (47.2)	73 (48.3)	165 (47.7)
Lymphomas and reticuloendothelial neoplasms n, (%)	71 (36.4)	51 (33.8)	122 (35.3)
Central Nervous System tumors n, (%)	2 (1)	0	2 (0.6)
Neuroblastoma and other <i>peripheral nerve sheath tumors</i> n, (%)	1 (0,5)	4 (2.6)	5 (1.4)
Nephroblastoma and other kidney malignancies n, (%)	4 (2.1)	8 (5.3)	12 (3.5)
Liver malignancies n, (%)	0	1 (0.7)	1 (0.3)
Osteosarcoma and other bone malignancies n, (%)	9 (4.6)	9 (6.0)	18 (5.2)
Soft-tissue sarcoma n, (%)	9 (4.6)	2 (1.3)	11 (3.2)
Germinative, trophoblastic, and gonadal tumors n, (%)	5 (2.6)	0	5 (1.4)
Other epithelial tumors and melanoma n, (%)	1 (0.5)	2 (1.3)	3 (0.9)
Other tumors n, (%)	1 (0.5)	1 (0.7)	2 (0.6)

^{*}according to ICCC-3 (International classification of childhood cancer)