

Supplementary material

Kaziród-Wolski K, Zabojszcz M, Jaskulska P, et al. Allergic reactions during coronary angiography or PCI in Poland: Occurrence, trends and predictors. Long term perspective based on ORPKI registry. Pol Heart J. 2024.

Please note that the journal is not responsible for the scientific accuracy or functionality of any supplementary material submitted by the authors. Any queries (except missing content) should be directed to the corresponding author of the article.

Table S1. Distribution of the variables used in the regression analysis

Variable	N (%); M (IQR)
Male gender, n (%)	1 144 689 (63.45)
Age, years	67 (60–74)
Weight, kg	80 (70–90)
Diabetes, n (%)	396 034 (21.84)
Previous stroke, n (%)	52 913 (2.92)
Previous myocardial infarction, n (%)	451 006 (24.88)
Previous PCI, n (%)	547 632 (30.21)
Previous CABG, n (%)	100 064 (5.52)
Smoking status (active) , n (%)	311 015 (17.15)
Arterial hypertension, n (%)	1 258 717 (69.43)
Kidney disease, n (%)	97 959 (5.40)
COPD, n (%)	46 360 (2.56)
ACS, n (%)	955 482 (52.70)
UFH during angiogram, n (%)	163 887 (10.21)
LMWH during angiogram, n (%)	14 305 (0.89)
Cardiac arrest at baseline, n (%)	12 311 (0.77)
Direct transport to cathlab, n (%)	59 006 (3.68)
UFH, n (%)	829 399 (45.75)
LMWH, n (%)	37 993 (2.10)
GPI IIb/IIIa, n (%)	66 401 (3.67)
Killip IV vs. Killip I, n (%)	13 747 (1.08)
Thrombolysis during angiogram, n (%)	164 (0.01)
Angiography, n (%)	1 604 931 (88.52)
PCI, n (%)	930 054 (51.30)
CTO, n (%)	55 290 (5.94)
Bifurcation lesion, n (%)	93 851 (10.09)
DES, n (%)	793 912 (85.36)
BVS, n (%)	5102 (0.55)
BMS, n (%)	23 287 (2.50)
Implanted stent (any) , n (%)	819 608 (88.12)
DEB, n (%)	17 483 (1.94)
TIMI 0-1 PRE, n (%)	291 032 (32.89)
TIMI 3 POST, n (%)	837 154 (94.11)
Contrast, 100ml	1.00 (0.65–1.50)
Radiation, 1000 mGy	0.42 (0.21–0.82)

Abbreviations: ACS, acute coronary syndrome; BMS, bare metal stent; BVS, bioresorbable vascular scaffold; CABG, coronary artery bypass grafting; COPD, chronic obstructive pulmonary disease; CTO, chronic total occlusion; DEB, drug-eluting balloon; DES, drug-eluting stent; GPI IIb/IIIa, IIb/IIIa glycoprotein inhibitor; LMWH, low molecular weight heparin; PCI, percutaneous coronary intervention; UFH, unfractionated heparin; TIMI, thrombolysis in myocardial infarction