

Piśmiennictwo

1. Zajdel R, Kecki E, Szczepaniak P. Compendium of medical informatics] Kompendium informatyki medycznej. Alfa Medica Press, Bielsko-Biala 2003.
2. Zarządzenie Nr 73/2016/DSOZ Prezesa Narodowego Funduszu Zdrowia z dnia 30 czerwca 2016 r. w sprawie określenia warunków zawierania i realizacji umów w rodzaju świadczenia zdrowotne kontraktowane odrębnie.
3. Ustawa z dnia 5 grudnia 1996 r. o zawodach lekarza i lekarza dentystry (Dz.U. z 1997r. Nr 28, poz. 152 ze zmianami).
4. Roth A, Malov N, Steinberg DM, et al. Telemedicine for post-myocardial infarction patients: an observational study. *Telemed J E Health*. 2009; 15(1): 24–30, doi: [10.1089/tmj.2008.0068](https://doi.org/10.1089/tmj.2008.0068), indexed in Pubmed: [19199844](https://pubmed.ncbi.nlm.nih.gov/19199844/).
5. Ponikowski P, Voors A, Anker S, et al. Wytyczne ESC dotyczące diagnostyki i leczenia ostrej i przewlekłej niewydolności serca w 2016 roku. *Kardiologia Pol.* 2016; 74(10): 1037–1147, doi: [10.5603/kp.2016.0141](https://doi.org/10.5603/kp.2016.0141), indexed in Pubmed: [27748494](https://pubmed.ncbi.nlm.nih.gov/27748494/).
6. Koehler F, Winkler S, Schieber M, et al. Telemedicine in heart failure: pre-specified and exploratory subgroup analyses from the TIM-HF trial. *Int J Cardiol*. 2012; 161(3): 143–150, doi: [10.1016/j.ijcard.2011.09.007](https://doi.org/10.1016/j.ijcard.2011.09.007), indexed in Pubmed: [21982700](https://pubmed.ncbi.nlm.nih.gov/21982700/).
7. Hanssen TA, Nordrehaug JE, Eide GE, et al. Improving outcomes after myocardial infarction: a randomized controlled trial evaluating effects of a telephone follow-up intervention. *Eur J Cardiovasc Prev Rehabil*. 2007; 14(3): 429–437, doi: [10.1097/HJR.0b013e32801da123](https://doi.org/10.1097/HJR.0b013e32801da123), indexed in Pubmed: [17568244](https://pubmed.ncbi.nlm.nih.gov/17568244/).
8. Chow CK, Redfern J, Hillis GS, et al. Effect of Lifestyle-Focused Text Messaging on Risk Factor Modification in Patients With Coronary Heart Disease: A Randomized Clinical Trial. *JAMA*. 2015; 314(12): 1255–1263, doi: [10.1001/jama.2015.10945](https://doi.org/10.1001/jama.2015.10945), indexed in Pubmed: [26393848](https://pubmed.ncbi.nlm.nih.gov/26393848/).
9. Steinberg JS, Varma N, Cygankiewicz I, et al. 2017 ISHNE-HRS expert consensus statement on ambulatory ECG and external cardiac monitoring/telemetry. *Ann Noninvasive Electrocardiol*. 2017; 22(3): e12447, doi: [10.1111/anec.12447](https://doi.org/10.1111/anec.12447), indexed in Pubmed: [28480632](https://pubmed.ncbi.nlm.nih.gov/28480632/).
10. Zimetbaum PJ, Kim KY, Josephson ME, et al. Diagnostic yield and optimal duration of continuous-loop event monitoring for the diagnosis of palpitations. A cost-effectiveness analysis. *Ann Intern Med*. 1998; 128(11): 890–895, doi: [10.7326/0003-4819-128-11-199806010-00002](https://doi.org/10.7326/0003-4819-128-11-199806010-00002), indexed in Pubmed: [9634426](https://pubmed.ncbi.nlm.nih.gov/9634426/).
11. Stańczyk A. [Continuous monitoring] Monitorowanie ciągłe. In: Piotrowicz R, Rużyłło W. ed. [Telecardiology part 2: Tele-electrocardiology] Telekardiologia, cz. 2: Teleelektrokardiologia. Tekst, Warszawa 2011.
12. Mittal S, Movsowitz C, Steinberg JS. Ambulatory external electrocardiographic monitoring: focus on atrial fibrillation. *J Am Coll Cardiol*. 2011; 58(17): 1741–1749, doi: [10.1016/j.jacc.2011.07.026](https://doi.org/10.1016/j.jacc.2011.07.026), indexed in Pubmed: [21996384](https://pubmed.ncbi.nlm.nih.gov/21996384/).
13. Moya A, Sutton R, Ammirati F, et al. Task Force for the Diagnosis and Management of Syncope, European Society of Cardiology (ESC), European Heart Rhythm Association (EHRA), Heart Failure Association (HFA), Heart Rhythm Society (HRS). Guidelines for the diagnosis and management of syncope (version 2009). *Eur Heart J*. 2009; 30(21): 2631–2671, doi: [10.1093/eurheartj/ehp298](https://doi.org/10.1093/eurheartj/ehp298), indexed in Pubmed: [19713422](https://pubmed.ncbi.nlm.nih.gov/19713422/).
14. Baranowski R, Bieganowska K, Cygankiewicz I, et al. Guidelines of long-term ECG monitoring. Experts' group statement of the Working Group on Noninvasive Electrocardiology and Telemedicine of Polish Society of Cardiology]. *Kardiologia Pol.* 2013; 71(suppl IX): 225–242.
15. Rekosz J, Kasznicka M, Kwiatkowska D, et al. Standard 12-lead electrocardiogram tele-transmission: Support in diagnosing cardiovascular diseases in operations undertaken by Warsaw-area basic medical rescue teams between 2009 and 2013. *Cardiol J*. 2015; 22(6): 675–682, doi: [10.5603/CJ.a2015.0059](https://doi.org/10.5603/CJ.a2015.0059), indexed in Pubmed: [26412603](https://pubmed.ncbi.nlm.nih.gov/26412603/).
16. Rothman SA, Laughlin JC, Seltzer J, et al. The diagnosis of cardiac arrhythmias: a prospective multi-center randomized study comparing mobile cardiac outpatient telemetry versus standard loop event monitoring. *J Cardiovasc Electrophysiol*. 2007; 18(3): 241–247, doi: [10.1111/j.1540-8167.2006.00729.x](https://doi.org/10.1111/j.1540-8167.2006.00729.x), indexed in Pubmed: [17318994](https://pubmed.ncbi.nlm.nih.gov/17318994/).
17. Gradl S, Kugler P, Lohmuller C, et al. Real-time ECG monitoring and arrhythmia detection using Android-based mobile devices. *Conf Proc IEEE Eng Med Biol Soc*. 2012; 2012: 2452–2455, doi: [10.1109/EMBC.2012.6346460](https://doi.org/10.1109/EMBC.2012.6346460), indexed in Pubmed: [23366421](https://pubmed.ncbi.nlm.nih.gov/23366421/).
18. Kurka N, Bobinger T, Kallmünzer B, et al. Reliability and limitations of automated arrhythmia detection in telemetric monitoring after stroke. *Stroke*. 2015; 46(2): 560–563, doi: [10.1161/STROKEAHA.114.007892](https://doi.org/10.1161/STROKEAHA.114.007892), indexed in Pubmed: [25538198](https://pubmed.ncbi.nlm.nih.gov/25538198/).
19. Piotrowicz E, Jasionowska A, Banaszak-Bednarczyk M, et al. ECG telemonitoring during home-based cardiac rehabilitation in heart failure patients. *J Telemed Telecare*. 2012; 18(4): 193–197, doi: [10.1258/jtt.2012.111005](https://doi.org/10.1258/jtt.2012.111005), indexed in Pubmed: [22604276](https://pubmed.ncbi.nlm.nih.gov/22604276/).
20. Brunetti ND, De Gennaro L, Pellegrino PL, et al. Atrial fibrillation with symptoms other than palpitations: incremental diagnostic sensitivity with at-home tele-cardiology assessment for emergency medical service. *Eur J Prev Cardiol*. 2012; 19(3): 306–313, doi: [10.1177/1741826711406060](https://doi.org/10.1177/1741826711406060), indexed in Pubmed: [21502279](https://pubmed.ncbi.nlm.nih.gov/21502279/).
21. Campo Dell'Orto M, Hamm C, Liebetrau C, et al. Telemetry-assisted early detection of STEMI in patients with atypical symptoms by paramedic-performed 12-lead ECG with subsequent cardiological analysis. *Eur J Emerg Med*. 2017; 24(4): 272–276, doi: [10.1097/MEJ.0000000000000353](https://doi.org/10.1097/MEJ.0000000000000353), indexed in Pubmed: [26629763](https://pubmed.ncbi.nlm.nih.gov/26629763/).
22. Kotb A, Cameron C, Hsieh S, et al. Comparative effectiveness of different forms of telemedicine for individuals with heart failure (HF): a systematic review and network meta-analysis. *PLoS One*. 2015; 10(2): e0118681, doi: [10.1371/journal.pone.0118681](https://doi.org/10.1371/journal.pone.0118681), indexed in Pubmed: [25714962](https://pubmed.ncbi.nlm.nih.gov/25714962/).
23. Priori SG, Blomström-Lundqvist C, Mazzanti A, et al. 2015 ESC Guidelines for the management of patients with ventricular arrhythmias and the prevention of sudden cardiac death: The Task Force for the Management of Patients with Ventricular Arrhythmias and the Prevention of Sudden Cardiac Death of the European Society of Cardiology (ESC). Endorsed by: Association for European Paediatric and Congenital Cardiology (AEPC). *Eur Heart J*. 2015; 36(41): 2793–2867, doi: [10.1093/eurheartj/ehv316](https://doi.org/10.1093/eurheartj/ehv316), indexed in Pubmed: [26320108](https://pubmed.ncbi.nlm.nih.gov/26320108/).
24. Dussault C, Toeg H, Nathan M, et al. Electrocardiographic monitoring for detecting atrial fibrillation after ischemic stroke or transient ischemic attack: systematic review and meta-analysis. *Circ Arrhythm Electrophysiol*. 2015; 8(2): 263–269, doi: [10.1161/CIRCEP.114.002521](https://doi.org/10.1161/CIRCEP.114.002521), indexed in Pubmed: [25639643](https://pubmed.ncbi.nlm.nih.gov/25639643/).
25. Steg PG, James SK, Atar D, et al. ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation: The Task Force on the management of ST-segment elevation acute myocardial infarction of the European Society of Cardiology (ESC). *Eur Heart J*. 2012; 33(20): 2569–2619, doi: [10.1093/eurheartj/ehs215](https://doi.org/10.1093/eurheartj/ehs215).
26. Coutts SB, Wein TH, Lindsay MP, et al. Heart, and Stroke Foundation Canada Canadian Stroke Best Practices Advisory Committee. Canadian Stroke Best Practice Recommendations: secondary prevention of stroke guidelines, update 2014. *Int J Stroke*. 2015; 10(3): 282–291, doi: [10.1111/ijvs.12439](https://doi.org/10.1111/ijvs.12439), indexed in Pubmed: [25535808](https://pubmed.ncbi.nlm.nih.gov/25535808/).
27. Glotzer TV, Ziegler PD. Cryptogenic stroke: Is silent atrial fibrillation the culprit? *Heart Rhythm*. 2015; 12(1): 234–241, doi: [10.1016/j.hrthm.2014.09.058](https://doi.org/10.1016/j.hrthm.2014.09.058), indexed in Pubmed: [25285649](https://pubmed.ncbi.nlm.nih.gov/25285649/).

28. Dubner S, Auricchio A, Steinberg JS, et al. ISHNE/EHRA expert consensus on remote monitoring of cardiovascular implantable electronic devices (CIEDs). *Europace*. 2012; 14(2): 278–293, doi: [10.1093/europace/eur303](https://doi.org/10.1093/europace/eur303), indexed in Pubmed: [22232544](https://pubmed.ncbi.nlm.nih.gov/22232544/).
29. Camm AJ, Corbucci G, Padeletti L. Usefulness of continuous electrocardiographic monitoring for atrial fibrillation. *Am J Cardiol*. 2012; 110(2): 270–276, doi: [10.1016/j.amjcard.2012.03.021](https://doi.org/10.1016/j.amjcard.2012.03.021), indexed in Pubmed: [22503584](https://pubmed.ncbi.nlm.nih.gov/22503584/).
30. Botto GL, Padeletti L, Santini M, et al. Presence and duration of atrial fibrillation detected by continuous monitoring: crucial implications for the risk of thromboembolic events. *J Cardiovasc Electrophysiol*. 2009; 20(3): 241–248, doi: [10.1111/j.1540-8167.2008.01320.x](https://doi.org/10.1111/j.1540-8167.2008.01320.x), indexed in Pubmed: [19175849](https://pubmed.ncbi.nlm.nih.gov/19175849/).
31. January CT, Wann LS, Alpert JS, et al. American College of Cardiology/American Heart Association Task Force on Practice Guidelines. 2014 AHA/ACC/HRS guideline for the management of patients with atrial fibrillation: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the Heart Rhythm Society. *J Am Coll Cardiol*. 2014; 64(21): e1–76, doi: [10.1016/j.jacc.2014.03.022](https://doi.org/10.1016/j.jacc.2014.03.022), indexed in Pubmed: [24685669](https://pubmed.ncbi.nlm.nih.gov/24685669/).
32. Dagues N, Kottkamp H, Piorkowski C, et al. Influence of the duration of Holter monitoring on the detection of arrhythmia recurrences after catheter ablation of atrial fibrillation: implications for patient follow-up. *Int J Cardiol*. 2010; 139(3): 305–306, doi: [10.1016/j.ijcard.2008.10.004](https://doi.org/10.1016/j.ijcard.2008.10.004), indexed in Pubmed: [18990460](https://pubmed.ncbi.nlm.nih.gov/18990460/).
33. Glotzer TV, Daoud EG, Wyse DG, et al. The relationship between daily atrial tachyarrhythmia burden from implantable device diagnostics and stroke risk: the TRENDS study. *Circ Arrhythm Electrophysiol*. 2009; 2(5): 474–480, doi: [10.1161/CIRCEP.109.849638](https://doi.org/10.1161/CIRCEP.109.849638), indexed in Pubmed: [19843914](https://pubmed.ncbi.nlm.nih.gov/19843914/).
34. Glotzer TV, Hellkamp AS, Zimmerman J, et al. MOST Investigators. Atrial high rate episodes detected by pacemaker diagnostics predict death and stroke: report of the Atrial Diagnostics Ancillary Study of the MODe Selection Trial (MOST). *Circulation*. 2003; 107(12): 1614–1619, doi: [10.1161/01.CIR.0000057981.70380.45](https://doi.org/10.1161/01.CIR.0000057981.70380.45), indexed in Pubmed: [12668495](https://pubmed.ncbi.nlm.nih.gov/12668495/).
35. Steg PhG, James SK, Atar D, et al. Task Force on the management of ST-segment elevation acute myocardial infarction of the European Society of Cardiology (ESC). Management of acute myocardial infarction in patients presenting with persistent ST-segment elevation: the Task Force on the Management of ST-Segment Elevation Acute Myocardial Infarction of the European Society of Cardiology. *Eur Heart J*. 2012; 33(20): 2569–2619, doi: [10.1093/eurheartj/ehs215](https://doi.org/10.1093/eurheartj/ehs215), indexed in Pubmed: [22922416](https://pubmed.ncbi.nlm.nih.gov/22922416/).
36. Agency for Healthcare Research and Quality (AHRQ). Remote cardiac monitoring. Technology Assessment. Prepared for the AHRQ by the ECRI Evidence-based Practice Center (EPC). Contract No. 290-02-0019. Rockville, MD: AHRQ Dec 12, 2007.
37. Tovia-Brodie O, Ben-Haim Y, Joffe E, et al. The value of electrophysiologic study in decision-making regarding the need for pacemaker implantation after TAVI. *J Interv Card Electrophysiol*. 2017; 48(2): 121–130, doi: [10.1007/s10840-016-0218-2](https://doi.org/10.1007/s10840-016-0218-2), indexed in Pubmed: [27987072](https://pubmed.ncbi.nlm.nih.gov/27987072/).
38. Kirchhof P, Andresen D, Bosch R, et al. Short-term versus long-term antiarrhythmic drug treatment after cardioversion of atrial fibrillation (Flec-SL): a prospective, randomised, open-label, blinded endpoint assessment trial. *Lancet*. 2012; 380(9838): 238–246, doi: [10.1016/S0140-6736\(12\)60570-4](https://doi.org/10.1016/S0140-6736(12)60570-4), indexed in Pubmed: [22713626](https://pubmed.ncbi.nlm.nih.gov/22713626/).
39. Slotwiner D, Varma N, Akar JG, et al. HRS Expert Consensus Statement on remote interrogation and monitoring for cardiovascular implantable electronic devices. *Heart Rhythm*. 2015; 12(7): e69–100, doi: [10.1016/j.hrthm.2015.05.008](https://doi.org/10.1016/j.hrthm.2015.05.008), indexed in Pubmed: [25981148](https://pubmed.ncbi.nlm.nih.gov/25981148/).
40. Kirchhof P, Benussi S, Kotecha D, et al. 2016 ESC Guidelines for the management of atrial fibrillation developed in collaboration with EACTS. *Kardiol Pol*. 2016; 74(12): 1359–1469, doi: [10.5603/KP.2016.0172](https://doi.org/10.5603/KP.2016.0172), indexed in Pubmed: [28009037](https://pubmed.ncbi.nlm.nih.gov/28009037/).
41. Crossley GH, Boyle A, Vitense H, et al. CONNECT Investigators. The CONNECT (Clinical Evaluation of Remote Notification to Reduce Time to Clinical Decision) trial: the value of wireless remote monitoring with automatic clinician alerts. *J Am Coll Cardiol*. 2011; 57(10): 1181–1189, doi: [10.1016/j.jacc.2010.12.012](https://doi.org/10.1016/j.jacc.2010.12.012), indexed in Pubmed: [21255955](https://pubmed.ncbi.nlm.nih.gov/21255955/).
42. Crossley GH, Chen J, Choucair W, et al. PREFER Study Investigators. Clinical benefits of remote versus transtelephonic monitoring of implanted pacemakers. *J Am Coll Cardiol*. 2009; 54(22): 2012–2019, doi: [10.1016/j.jacc.2009.10.001](https://doi.org/10.1016/j.jacc.2009.10.001), indexed in Pubmed: [19926006](https://pubmed.ncbi.nlm.nih.gov/19926006/).
43. Landolina M, Perego GB, Lunati M, et al. Remote monitoring reduces healthcare use and improves quality of care in heart failure patients with implantable defibrillators: the evolution of management strategies of heart failure patients with implantable defibrillators (EVOLVO) study. *Circulation*. 2012; 125(24): 2985–2992, doi: [10.1161/CIRCULATIONAHA.111.088971](https://doi.org/10.1161/CIRCULATIONAHA.111.088971), indexed in Pubmed: [22626743](https://pubmed.ncbi.nlm.nih.gov/22626743/).
44. Guédon-Moreau L, Lacroix D, Sadoul N, et al. ECOST trial Investigators. A randomized study of remote follow-up of implantable cardioverter defibrillators: safety and efficacy report of the ECOST trial. *Eur Heart J*. 2013; 34(8): 605–614, doi: [10.1093/eurheartj/ehs425](https://doi.org/10.1093/eurheartj/ehs425), indexed in Pubmed: [23242192](https://pubmed.ncbi.nlm.nih.gov/23242192/).
45. Saxon LA, Hayes DL, Gilliam FR, et al. Long-term outcome after ICD and CRT implantation and influence of remote device follow-up: the ALTITUDE survival study. *Circulation*. 2010; 122(23): 2359–2367, doi: [10.1161/CIRCULATIONAHA.110.960633](https://doi.org/10.1161/CIRCULATIONAHA.110.960633), indexed in Pubmed: [21098452](https://pubmed.ncbi.nlm.nih.gov/21098452/).
46. Hindricks G, Taborsky M, Glikson M, et al. IN-TIME study group*. Implant-based multiparameter telemonitoring of patients with heart failure (IN-TIME): a randomised controlled trial. *Lancet*. 2014; 384(9943): 583–590, doi: [10.1016/S0140-6736\(14\)61176-4](https://doi.org/10.1016/S0140-6736(14)61176-4), indexed in Pubmed: [25131977](https://pubmed.ncbi.nlm.nih.gov/25131977/).
47. De Simone A, Leoni L, Luzi M, et al. Remote monitoring improves outcome after ICD implantation: the clinical efficacy in the management of heart failure (EFFECT) study. *Europace*. 2015; 17(8): 1267–1275, doi: [10.1093/europace/euu318](https://doi.org/10.1093/europace/euu318), indexed in Pubmed: [25842271](https://pubmed.ncbi.nlm.nih.gov/25842271/).
48. Cronin EM, Ching EA, Varma N, et al. Remote monitoring of cardiovascular devices: a time and activity analysis. *Heart Rhythm*. 2012; 9(12): 1947–1951, doi: [10.1016/j.hrthm.2012.08.002](https://doi.org/10.1016/j.hrthm.2012.08.002), indexed in Pubmed: [22864266](https://pubmed.ncbi.nlm.nih.gov/22864266/).
49. Piotrowicz R. Rekomendacje w zakresie realizacji kompleksowej rehabilitacji kardiologicznej; stanowisko ekspertów Sekcji Rehabilitacji Kardiologicznej i Fizjologii Wysiłku PTK. AsteriaMed, Gdańsk 2017.
50. Ustawa z dnia 29 sierpnia 1997 r. o ochronie danych osobowych. (Dz.U. z 2016 r. poz. 922).
51. Piotrowicz R, Baranowski R. Monitored, spontaneous cardiologic rehabilitation at home, an alternative to traditional outpatient rehabilitation]. *Kardiol Pol*. 2006; 64: 1465–1468.
52. Piotrowicz E, Baranowski R, Bilinska M, et al. A new model of home-based telemonitored cardiac rehabilitation in patients with heart failure: effectiveness, quality of life, and adherence. *Eur J Heart Fail*. 2010; 12(2): 164–171, doi: [10.1093/eurjhf/hfp181](https://doi.org/10.1093/eurjhf/hfp181), indexed in Pubmed: [20042423](https://pubmed.ncbi.nlm.nih.gov/20042423/).
53. Jankowski P, Niewada M, Bochenek A, et al. [Optimal model of comprehensive rehabilitation and secondary prevention]. *Kardiol Pol*. 2013; 71(9): 995–1003, doi: [10.5603/KP.2013.0246](https://doi.org/10.5603/KP.2013.0246), indexed in Pubmed: [24065281](https://pubmed.ncbi.nlm.nih.gov/24065281/).
54. Piotrowicz E. How to do: telerehabilitation in heart failure patients. *Cardiol J*. 2012; 19(3): 243–248, doi: [10.5603/cj.2012.0045](https://doi.org/10.5603/cj.2012.0045), indexed in Pubmed: [22641542](https://pubmed.ncbi.nlm.nih.gov/22641542/).
55. Kouidi E, Farmakiotis A, Kouidis N, et al. Transtelephonic electrocardiographic monitoring of an outpatient cardiac reha-

- bilitation programme. *Clin Rehabil.* 2006; 20(12): 1100–1104, doi: [10.1177/0269215506071256](https://doi.org/10.1177/0269215506071256), indexed in Pubmed: [17148522](https://pubmed.ncbi.nlm.nih.gov/17148522/).
56. Ades PA, Pashkow FJ, Fletcher G, et al. A controlled trial of cardiac rehabilitation in the home setting using electrocardiographic and voice transtelephonic monitoring. *Am Heart J.* 2000; 139(3): 543–548, doi: [10.1016/s0002-8703\(00\)90100-5](https://doi.org/10.1016/s0002-8703(00)90100-5), indexed in Pubmed: [10689271](https://pubmed.ncbi.nlm.nih.gov/10689271/).
 57. Piotrowicz E, Piotrowicz R. Cardiac telerehabilitation: current situation and future challenges. *Eur J Prev Cardiol.* 2013; 20(2 Suppl): 12–16, doi: [10.1177/2047487313487483c](https://doi.org/10.1177/2047487313487483c), indexed in Pubmed: [23702985](https://pubmed.ncbi.nlm.nih.gov/23702985/).
 58. Piotrowicz E, Korzeniowska-Kubacka I, Chrapowicka A, et al. Feasibility of home-based cardiac telerehabilitation: Results of TeleInterMed study. *Cardiol J.* 2014; 21(5): 539–546, doi: [10.5603/CJ.a2014.0005](https://doi.org/10.5603/CJ.a2014.0005), indexed in Pubmed: [24526507](https://pubmed.ncbi.nlm.nih.gov/24526507/).
 59. Ustawa z dnia 20 maja 2010 r. o wyrobach medycznych (Dz.U. 2010 nr 107 poz. 679).
 60. Kuck KH, Bordachar P, Borggrefe M, et al. Document Reviewers. New devices in heart failure: an European Heart Rhythm Association report: developed by the European Heart Rhythm Association; endorsed by the Heart Failure Association. *Europace.* 2014; 16(1): 109–128, doi: [10.1093/europace/eut311](https://doi.org/10.1093/europace/eut311), indexed in Pubmed: [24265466](https://pubmed.ncbi.nlm.nih.gov/24265466/).
 61. Bhimaraj A. Remote monitoring of heart failure patients. *Methodist DeBakey Cardiovasc J.* 2013; 9(1): 26–31, doi: [10.14797/mdcj-9-1-26](https://doi.org/10.14797/mdcj-9-1-26), indexed in Pubmed: [23519115](https://pubmed.ncbi.nlm.nih.gov/23519115/).
 62. Paré G, Moqadem K, Pineau G, et al. Clinical effects of home telemonitoring in the context of diabetes, asthma, heart failure and hypertension: a systematic review. *J Med Internet Res.* 2010; 12(2): e21, doi: [10.2196/jmir.1357](https://doi.org/10.2196/jmir.1357), indexed in Pubmed: [20554500](https://pubmed.ncbi.nlm.nih.gov/20554500/).
 63. Schmidt S, Schuchert A, Krieg T, et al. Home telemonitoring in patients with chronic heart failure: a chance to improve patient care? *Dtsch Arztebl Int.* 2010; 107(8): 131–138, doi: [10.3238/arztebl.2010.0131](https://doi.org/10.3238/arztebl.2010.0131), indexed in Pubmed: [20300221](https://pubmed.ncbi.nlm.nih.gov/20300221/).
 64. Mortara A, Pinna GD, Johnson P, et al. HHH Investigators. Home telemonitoring in heart failure patients: the HHH study (Home or Hospital in Heart Failure). *Eur J Heart Fail.* 2009; 11(3): 312–318, doi: [10.1093/eurjhf/hfp022](https://doi.org/10.1093/eurjhf/hfp022), indexed in Pubmed: [19228800](https://pubmed.ncbi.nlm.nih.gov/19228800/).
 65. Jaana M, Paré G. Home telemonitoring of patients with diabetes: a systematic assessment of observed effects. *J Eval Clin Pract.* 2007; 13(2): 242–253, doi: [10.1111/j.1365-2753.2006.00686.x](https://doi.org/10.1111/j.1365-2753.2006.00686.x), indexed in Pubmed: [17378871](https://pubmed.ncbi.nlm.nih.gov/17378871/).
 66. Granade PF, Sander JH. Implementing Telemedicine Nationwide: Analyzing the Legal Issues. *Defense Counsel J.* 1996; 63: 67–73.
 67. WHO. Telemedicine. Opportunities and development in Member States. Report on the Second Global Survey on eHealth Global Observatory for eHealth Series, Vol.2. 2010. http://www.who.int/goe/publications/goe_telemedicine_2010.pdf (accessed 29.01.2015).
 68. Vyborny KM. Legal and political issues facing telemedicine. *Ann Health Law.* 1996(5): 61–119, indexed in Pubmed: [10164522](https://pubmed.ncbi.nlm.nih.gov/10164522/).
 69. Ustawa z dnia 15 kwietnia 2011 r. o działalności leczniczej. (Dz.U. z 2015 r. poz. 618).
 70. Kodeks etyki lekarskiej. Tekst jednolity z dnia 2 stycznia 2004 r., zawierający zmiany uchwalone w dniu 20 września 2003 r. przez Nadzwyczajny VII Krajowy Zjazd Lekarzy, NRL Warszawa, 2004.
 71. Kraal JJ, Van den Akker-Van Marle ME, Abu-Hanna A, et al. Clinical and cost-effectiveness of home-based cardiac rehabilitation compared to conventional, centre-based cardiac rehabilitation: Results of the FIT@Home study. *Eur J Prev Cardiol.* 2017; 24(12): 1260–1273, doi: [10.1177/2047487317710803](https://doi.org/10.1177/2047487317710803), indexed in Pubmed: [28534417](https://pubmed.ncbi.nlm.nih.gov/28534417/).
 72. Kruse CS, Soma M, Pulluri D, et al. The effectiveness of telemedicine in the management of chronic heart disease - a systematic review. *JRSM Open.* 2017; 8(3): 2054270416681747, doi: [10.1177/2054270416681747](https://doi.org/10.1177/2054270416681747), indexed in Pubmed: [28321319](https://pubmed.ncbi.nlm.nih.gov/28321319/).