

Supplementary material

Cambroneró-Cortinas E, Moratalla-Haro P, González-García AE, et al. Predictors of atrial tachyarrhythmias in adults with congenital heart disease. Kardiol Pol. 2020; 78: 1262-1270. doi:10.33963/KP.15644

Please note that the journal is not responsible for the scientific accuracy or functionality of any supplementary material submitted by the authors. Any queries (except missing content) should be directed to the corresponding author of the article.

Table S1: Congenital heart disease distribution in the study cohort and simple size grouped by complexity.

COMPLEXITY	Diagnostic category	Total atrial tachycardia N=152	Cases or controls selected N=71
I: Simple	Total	32	19
	Ostium secundum ASD	19	11
	Ventricular septal defect	6	3
	Patent ductus arteriosus	1	0
	Aortic valve disease	1	0

	Pulmonary valve disease	4	4
	Mitral valve disease	1	1
II: Moderate	Total	52	26
	Sinus venosus ASD-PAPVR	8	4
	AV septal defect	3	1
	Subvalvular aortic stenosis	0	0
	Supravalvular aortic stenosis	0	0
	Coarctation of the aorta	3	2
	Subvalvular pulmonary stenosis	0	0
	Supravalvular pulmonary stenosis	1	0
	Ebstein's anomaly	6	3
	Tetralogy of Fallot	30	15
	Another moderately complex CHD	1	1

III: Severe	Total	68	26
	Transposition of the great arteries	27	11
	Congenitally corrected transposition of great arteries	4	2
	Double outlet right ventricle	2	2
	Pulmonary atresia (all forms)	6	2
	Eisenmenger	6	2
	Single ventricle physiology	23	7
	- Fontan procedure	15	6
	- Glenn procedure	2	1
	- Banding/fistula/shunts	3	0
	-No intervention	3	0

Abbreviations: ASD = atrial septal defect; AT = atrial tachyarrhythmia; AVSD = auriculo-ventricular septal defect; CHD = Congenital Heart Disease; N: number of patients. PAPVR = partial anomalous pulmonary venous return.