

Supplementary material

Geng J, Jiang Z, Zhang S, et al Reversible T-wave inversions during left bundle branch area pacing. Kardiol Pol. 2022.

Please note that the journal is not responsible for the scientific accuracy or functionality of any supplementary material submitted by the authors. Any queries (except missing content) should be directed to the corresponding author of the article.




Figure S1. Flowchart of the study population of patients enrollment

Abbreviations: ECG, electrocardiogram; LBBAP, left bundle branch area pacing



Figure S2. TWIs in ECG after LBBAP in a patient with CLBBB. **A:** Baseline ECG showed LBBB; **B:** ECG at first day post-LBBAP showed T-waves inverted in III and V2-5; **C:** ECG at 28 months post procedure showed T-waves still inverted in III and V2-5.

Abbreviation: see [Figure 2](#)

Table SI. Univariable logistic analysis for TWIs

Variables	Univariable analysis	
	OR (95%CI)	<i>P</i>
Age	1.03 (1.00-1.05)	0.01
Intrinsic QRSd (ms)		
QRSd ≤ 90	1.00	
90 < QRSd ≤ 120	1.69 (0.98-2.93)	0.06
120 < QRSd ≤ 150	7.45 (3.11-18.04)	<0.001
QRSd > 150	15.55 (5.04-47.97)	<0.001